



Vertical pull-out cabinets

Space-saving marvel

Lista vertical pull-out cabinets are the perfect solution for the space-saving storage of tools and work material and offer ideal storage options for the warehouse, production facility and workplace. The vertical pull-out cabinets with perforated rear panels can be used on either side. The specification with shelves allows the attachment of storage containers, tools, documents and Lista tool holders for NC storage.



Adjustable shelves

The adjustable shelves in two available widths provide optimum storage space for inventory.



Perforated rear panels

Extendible perforated rear panels enable flexible attachment of stored items thanks to a wide range of hooks.



NC storage

The tools can be stored in upright position in the vertical pull-outs in the alternate frame. This ensures careful and space saving storage.

i Benefits

- High-quality, welded sheet steel construction
- Perfect use of space – 7 m² storage space on 0.7 m² floor space
- With front covers or hinged doors as desired
- Flexible installation of adjustable shelves, perforated walls and shelves for tool holders for NC storage
- Central lock with standard single drawer locking
- Pull-outs with a load capacity of 200 kg
- Front covers and hinged doors are available in 12 standard colours without a surcharge and 12 optional colours (see page 29)

Lista vertical pull-out cabinets are real space-saving marvels. They provide up to 7 m² storage space on only 0.7 m² floor space. The pull-out can be individually assembled with matching accessories.



Cabinet systems

Colours

Preconfigured cabinets: Housing in light grey, RAL 7035. Front covers and hinged doors available in 12 standard colours and 12 additional colours (with surcharge). When placing the order enter the desired three-digit colour code (instead of XXX). Customised colours on request.



For colour information see fold-out

Vertical pull-out cabinets

Preconfigured cabinets with front covers and hinged doors



Art. no. **82.980.070**
Ruby red, RAL 3003.
(without NC tool holder)

i Features

- Hinged doors, folded from one piece, opening angle 115°
- Pull-outs with individual fronts and central lock on request
- Standard single drawer locking
- Plastic castors ensure smooth running
- Adjustable shelves in 50 mm increments, height adjustable
- Total load capacity 1000 kg
- Pull-outs with load capacity of 200 kg
- Perforated rear panels with square holes 10 x 10 mm, 38 mm apart
- Hinged doors with Key Lock as clasp lock (separately lockable) or Code Lock; further locking options on request
- Durable powder coating, housing colour: light grey, RAL 7035. Insides of pull-outs painted: light grey, RAL 7035

i Design diversity

- Housing height: 1950 mm;
housing width: 1000 mm;
housing depths: 600 mm with hinged doors
695 mm with front covers
- Front covers: 3 x W 307 mm, 4 x W 230 mm
- Pull-outs with adjustable shelves:
usable dimensions:
W 291 x D 584 x H 25 mm, W 210 x D 584 x H 25 mm,
painted, colour: light grey, RAL 7035.
- Pull-outs with perforated walls: can be used on both sides,
H 1700 x D 560 mm, Colour: light grey, RAL 7035

W → 1000 mm



3 or 4 pull-outs
with 4 adjustable shelves
each for Lista NC tool
holder (page 278)
Usable dimensions:
W 291/210 x
D 584

Accommodation length
for NC tool holder =
554 mm



3 or 4 pull-outs
with 4 adjustable
shelves each, plain
Usable dimensions:
W 291/210 x
D 584 x H 25 mm

Accommodation length
for NC tool holder =
554 mm

Cabinet with front covers for NC storage

D	mm	kg	Pull-outs	Lock	Art. no.	Color
695	200	200	3	Key Lock	82.979.XXX	
695	200	200	4	Key Lock	82.980.XXX	

kg 200 per pull-out

Cabinet with front covers and adjustable shelves

D	mm	kg	Pull-outs	Lock	Art. no.	Color
695	200	200	3	Key Lock	85.792.XXX	
695	200	200	4	Key Lock	85.799.XXX	

kg 200 per pull-out

H **1950 mm**

W **1000 mm**



3 or 4 pull-outs with perforated walls H 1700 x D 612 mm can be used on both sides



3 or 4 pull-outs with perforated walls H 1700 x D 560 mm can be used on both sides

Hinged doors

Cabinet with front covers and perforated walls

D mm		Pull-outs		Art. no.
695	200	3	Key Lock	85.798.XXX
695	200	4	Key Lock	85.791.XXX

200 per pull-out

Cabinet with 2 hinged doors and perforated walls

D mm		Pull-outs		Art.-Nr.
600	200	3	Key Lock	85.789.XXX
600	200	3	Code Lock	85.840.XXX
600	200	4	Key Lock	85.788.XXX
600	200	4	Code Lock	85.839.XXX

200 per pull-out

Keyhole hooks and storage containers see page 540 ff.

NC tool holder see pages 278/279

Cabinet housing and accessories individual configuration

Assignment pattern see page 276

W **1000 mm**



3 or 4 pull-outs without shelves and perforated walls



Adjustable shelves

The adjustable shelves are directly screwed into the angle frame and can be provided with ribbed mats if required. Screw fixtures included. Specification: sheet steel. Colour: light grey, RAL 7035.

Cabinet housing with front covers and pull-outs

D mm		Pull-outs		Art. no.
695	200	3	Key Lock	82.983.XXX
695	200	4	Key Lock	82.984.XXX

200 per pull-out

Specification	Usable width mm	Usable depth mm		Art. no.
Adjustable shelf for NC tool holders	118	554	50	82.935.000
Adjustable shelf for 3 pull-outs	291	584	50	85.722.000
Adjustable shelf for 4 pull-outs	210	584	50	85.723.000