Wall-mounted cabinets
Perfect access at viewing height

As space can often be limited in many production facilities and workshops a space-saving storage solution can be essential. The wall-mounted cabinet - a solid sheet steel design available in three different widths, two heights and two depths, equipped with sliding or hinged doors and a cylinder lock - is the ideal solution. It can be wall-mounted in a few simple steps and ensures that everything can be neatly put away. Load capacity depending on the version chosen: 25 or 50 kg. You can choose between 12 standard door colours. The housing always comes in light grey, RAL 7035, painted.

Hinged doors with viewing windows
The wall-mounted cabinets are also available with doors with viewing windows - for added transparency. The viewing windows give an instant overview of the items in storage and also encourage all cabinet contents are put away neatly.

Smooth running
The ball bearing rollers of the sliding doors run with little noise on the guide rails.

Perforated rear panel
Suitable for the cabinet version with sliding doors, 1500 or 2000 mm wide. With a broad range of hooks, the perforated rear panel offers a flexible storage solution.

i Benefits

- Carefully welded sheet steel construction
- Stored items can be neatly arranged and conveniently accessed
- The customer can choose between hinged and sliding doors made of full sheet steel or equipped with viewing windows
- 12 standard colours without a surcharge and 12 optional colours (see page 29)
- Comes with perforated rear panel without shelves (model dependent)

@ Lista online

The entire Lista range offers countless solutions to meet your specific requirements. The Online Compendium 2, the Lista Configurator and the Lista Script can be found here:

www.lista.com

"Lista wall-mounted cabinets are the perfect solution for storing tools and materials at reachable height."

Colours
Preconfigured cabinets:
Housing in light grey, RAL 7035.
Doors always available in 12 standard colours and 12 additional colours (with surcharge). When placing your order, please enter the desired three-digit colour code (instead of XXX). Customised colours on request.

⟫ For colour information see fold-out

10 Years Guarantee

25

1 2 3 ↵ on request

on request

on request

Preconfigured wall-mounted cabinets
with hinged or sliding doors

Art. no. **57.055.070**,
Doors Ruby red, RAL 3003

Art. no. **57.090.070**,
Doors Ruby red, RAL 3003

ℹ Features

■ High quality, welded sheet steel design

■ Cabinet housing with hinged or sliding doors

■ Hinged doors made of full sheet steel or equipped with viewing windows, integrated, folded from one piece, with hinge bearing, opening angle 115°

■ Sliding doors made of full sheet steel or equipped with viewing windows, folded from one piece; the ball bearing rollers of the sliding doors run with little noise on the guide rails

■ Max. load capacity: Housing 50 or 25 kg, insert shelf 25 kg (not height adjustable)

■ Insert shelf: galvanised, 20 mm thick, for cabinet 800 mm high without perforated rear panel; the insert shelf is held by spot welded angles

■ Base height: 35 mm, base closed from below

■ Key Lock as clasp lock or turn-and-push cylinder lock (separately lockable); further locking options available on request

■ Durable powder coating

■ ESD on request

@ Lista online

The entire Lista range offers countless solutions to meet your specific requirements. The Online Compendium 2, the Lista Configurator and the Lista Script can be found here:

www.lista.com

ℹ Design diversity

■ Housing heights: 420, 800 mm;
housing widths: 1000, 1500, 2000 mm;
housing depths: 300, 400 mm

■ Cabinet accessories: Insert shelves (only for cabinets 1000 mm wide)

■ Cabinets with a perforated rear panel for use of pegboard hooks (see page 450), with square holes 10 x 10 mm and 38 mm division (only for cabinets with a width of 1500 or 2000 mm)

Key Lock
The standard Key Lock system for hinged doors with interchangeable cylinder can easily be fitted into existing locking systems.

Turn-and-push cylinder lock
The cranked locking bar with the locking system for sliding doors provides additional security.

H ↑ 420 mm   Clear height: 355 mm

without
interior fitting

W → 1000 mm

without
interior fitting

D ↗ mm	kg	🔒	Hinge pins mounted	Art. no. 🎨	

Wall-mounted cabinets with 2 full sheet steel hinged doors

| 300 | 25 | Key Lock | Hinge | 57.050.XXX | |
| 400 | 25 | Key Lock | Hinge | 57.051.XXX | |

Wall-mounted cabinets with 2 hinged doors equipped with viewing windows

| 300 | 25 | Key Lock | Hinge | 57.052.XXX | |
| 400 | 25 | Key Lock | Hinge | 57.053.XXX | |

D ↗ mm	kg	🔒		Art. no. 🎨	

Wall-mounted cabinets with full sheet steel sliding doors

| 300 | 25 | Turn-and-push cylinder lock | 57.087.XXX | |
| 400 | 25 | Turn-and-push cylinder lock | 57.088.XXX | |

kg 25 Housing

H ↑ 800 mm   Clear height: 715 mm

1 insert shelf

W → 1000 mm

1 insert shelf

D ↗ mm	kg	🔒	Hinge pins mounted	Art. no. 🎨	

Wall-mounted cabinets with 2 full sheet steel hinged doors

| 300 | 25/50 | Key Lock | Hinge | 57.054.XXX | |
| 400 | 25/50 | Key Lock | Hinge | 57.055.XXX | |

Wall-mounted cabinets with 2 hinged doors equipped with viewing windows

| 300 | 25/50 | Key Lock | Hinge | 57.056.XXX | |
| 400 | 25/50 | Key Lock | Hinge | 57.057.XXX | |

D ↗ mm	kg	🔒		Art. no. 🎨	

Wall-mounted cabinets with full sheet steel sliding doors

| 300 | 25/50 | Turn-and-push cylinder lock | 57.089.XXX | |
| 400 | 25/50 | Turn-and-push cylinder lock | 57.090.XXX | |

kg 25 Insert shelf   kg 50 Housing

>> **Keyhole hooks see page 450 ff.**

H ↑ 800 mm   W → 1500 mm

with perforated
rear panel

D ↗ mm	kg	🔒	Art. no. 🎨	

Wall-mounted cabinet with sliding doors equipped with viewing windows

| 300 | 50 | Turn-and-push cylinder lock | 62.586.XXX | |

H ↑ 800 mm   W → 2000 mm

with perforated
rear panel

D ↗ mm	kg	🔒	Art. no. 🎨	

Wall-mounted cabinet with sliding doors equipped with viewing windows

| 300 | 50 | Turn-and-push cylinder lock | 62.587.XXX | |

Cabinet systems