



Heavy-duty cabinets

Strong enough for heavy weights

Lista heavy-duty cabinets are the ideal solution for the storage of heavy materials on adjustable shelves, pull-out shelves and in drawers. With retracting doors, hinged doors, vertical shutters, or in an open design – all current access protection solutions are possible. Transparency in the warehouse with simultaneous access protection is possible thanks to retracting doors or hinged doors with a viewing window opening.



High housing stability

The welded sheet steel construction with integrated support pillar system guarantees a high level of stability in the heavy-duty specification.



Drawers

The drawers of the heavy-duty cabinets have a load-bearing capacity of 200 kg. The versatile drawer partition material allows subdivision perfectly adapted to the parts to be stored.



Optional retracting door

The heavy-duty cabinets are also available with retracting doors. When the door is opened, the wing disappears in the housing, providing optimum access to all stored items.

i Benefits

- Doors with user-friendly clasp lock, many access protection options and optional specifications with viewing windows to increase transparency in the warehouse
- Individual fitting and adjustment options with adjustable shelves, pull-out shelves and drawers
- Pull-out shelves and drawers compatible with Lista drawer-cabinet and Lista drawer-shelving systems
- Tilt protection provided by single pull-out blocking system for cabinets with retracting doors
- Choice of Key Lock or Code Lock locking system
- Additional locking systems, such as remote electronic locking by RF fob available on request

@ Lista online

The entire Lista range offers countless solutions to meet your specific requirements. The Online Compendium 2, the Lista Configurator and the Lista Script can be found here:

www.lista.com



The Lista heavy-duty cabinets provide maximum stability with a load capacity of 1500 kg per housing. Many adjustment and configuration options make this cabinet a strong all-rounder.



Cabinet systems

Colours

Cabinets available in 12 standard colours and 12 additional colours (with surcharge). When placing your order, please enter the desired three-digit colour code (instead of XXX). Customised colours on request.



» For colour information see fold-out



Pre-configured cabinets

with retracting solid sheet or viewing window doors



Art. no. **59.553.010**
Light blue, RAL 5012



Art. no. **59.543.070**
Ruby red, RAL 3003
(excluding partition material)



i Features

- Cabinet housing open, with retracting doors, hinged doors, or roller shutter
- Hinged doors flush-fitting, folded from one piece, with pintle bearing assembly
- Retracting doors, folded from one piece, with hinge bearing assembly
- Roller shutter colour: similar to light grey, RAL 7035; Drawer and pull-out shelf colour: grey, NCS 4502-B
- Highest maximum load capacity: housing 1500 kg, adjustable shelves 160 kg, drawers and pull-out shelves 200 kg
- Choice of Key Lock (separately lockable) or Code Lock; for further locking options see individual configuration
- Durable powder coating

i Design diversity

- Housing height: 1950 mm;
Housing widths: 1100, 1146 mm;
Housing depths: 641, 690 mm
- Cabinet accessories: adjustable shelves, shelf dividers, drawers, pull-out shelves, base
- Partition material sets for drawers





54 x 27 E

H ↑ 1950 mm

W → 1146 mm



4 adjustable shelves



2 adjustable shelves
2 drawers 75 mm 75 mm
1 drawer 150 mm
2 pull-out shelves

D ↗ mm **kg** **🔒** Hinge pins mounted Art. no.

Cabinets with 2 solid sheet retracting doors

690	160	Key Lock	Hinge bracket	59.541.XXX
690	160	Code Lock	Hinge bracket	59.564.XXX

Cabinets with 2 viewing window retracting doors

690	160	Key Lock	Hinge bracket	59.540.XXX
690	160	Code Lock	Hinge bracket	59.565.XXX

D ↗ mm **kg** **🔒** Hinge pins mounted Art. no.

Cabinets with 2 solid sheet retracting doors

690	200/160	Key Lock	Hinge bracket	59.543.XXX
690	200/160	Code Lock	Hinge bracket	59.552.XXX

Cabinets with 2 viewing window retracting doors

690	200/160	Key Lock	Hinge bracket	59.542.XXX
690	200/160	Code Lock	Hinge bracket	59.553.XXX

200 drawers / pull-out shelves 160 adjustable shelves



Cabinet systems

Cabinet housing and retracting doors with Key Lock or Code Lock

W → 1146 mm



Cabinet housing

The cabinet housing is made of high-quality, welded sheet steel and has a sturdy design. An integrated support pillar system allows interior fitting with 25:25 mm divisions, enabling installation of adjustable shelves, drawers and/or pull-out shelves. Tilt protection is provided by the single pull-out blocking system.

Retracting doors

The sheet steel doors, which retract into the cabinet housing and are multiply folded, come with hinge brackets and are available either in solid sheet or with viewing window glazing as desired. The retracting range is 90°. The projection of the doors when open is 85 mm. The retracting doors are prepared with a recess for Key Lock or Code Lock.



Max. installation height for drawers and pull-out shelves: 1400 mm of the housing opening.



Housing for 2 retracting doors

H ↑	Housing	mm		
	Clear height	mm		1950
				1830
D ↗	mm		Specification	Art. no.
	690		-	59.544.XXX

	Retracting door set for Key Lock			
	2 doors excluding clasp lock		Solid sheet	59.532.XXX
	Separately lockable		Viewing window	59.535.XXX
●	Clasp lock (random number)		-	49.060.000
	2 doors excluding clasp lock		Solid sheet	59.532.XXX
	Simultaneously lockable		Viewing window	59.535.XXX
+	Clasp lock 2C____ (number according to choice)		-	49.067.000
	For off-the-shelf clasp locks with pre-defined numbers, see below*			
	2 doors excluding clasp lock		Solid sheet	59.532.XXX
	Master key system		Viewing window	59.535.XXX
+	Clasp lock for master key system		-	49.068.000
●	Master key (registered system)		-	20.040.000

	Retracting door set for Code Lock			
	2 doors excluding clasp lock		Solid sheet	59.532.XXX
			Viewing window	59.535.XXX
●	Clasp lock with Code Lock		-	49.070.000

+ Please state the existing cylinder number for repeat orders ● Required for operation

* Clasp lock 2C with pre-defined number

	In stock	Art. no.	
	Clasp lock 2C 1	49.061.000	
	Clasp lock 2C 2	49.062.000	
	Clasp lock 2C 3	49.063.000	
	Clasp lock 2C 4	49.064.000	
	Clasp lock 2C 5	49.065.000	
	Clasp lock 2C 6	49.066.000	



Colours

Housings and doors available in 12 standard colours and 12 additional colours (with surcharge). When placing your order, please enter the desired three-digit colour code (instead of XXX). Customised colours on request.

➤ For colour information see fold-out

54 x 27 E

Cabinet accessories for cabinets with retracting doors

Adjustable shelf

Adjustable shelf including 4 shelf supports. Specification: sheet steel, galvanised. Long sides folded by 4 x 90°. 33 mm thick with load capacity of 160 kg.

W → 1146 mm For 1146 mm wide housing with retracting doors.

For cabinet depth mm	Usable depth mm	Usable width mm		Specification	Art. no.
690	500	966	160	With rear lip	59.545.000



Dividers for adjustable shelves

For partitioning adjustable shelves. The dividers are inserted between 2 adjustable shelves attached on top of each other. The height of the dividers depends on the space between the adjustable shelves. Only suitable for use between 2 adjustable shelves. Specification: sheet steel, painted. Colour: light grey, RAL 7035.

Shelf depth mm	Distance of shelves TE-TE* mm	Usable height mm	Art. no.
500	225	179	59.415.000
500	375	329	59.416.000

* Distance of adjustable shelves from top edge to top edge.



Drawers

Full extension with ball bearings, including guide rails. The drawer panels have a slotted grid in units (E) of 17 mm inside on all sides; the drawer bottom is perforated, which enables individual subdivision. The fronts are equipped with continuous handles with integrated label strips and transparent covers. Label sheets – which can be written on using Lista Script labelling system – are included separately. Specification: sheet steel. Colour: grey, NCS 4502-B.

D ↗ 690 mm For 690 mm deep housing with retracting doors.

For cabinet width mm	Usable width mm	Usable depth mm	Front height mm	Usable height mm		Art. no.
1146	918	459	75	57,5	200	85.700.080
1146	918	459	100	82,5	200	85.701.080
1146	918	459	150	132,5	200	85.702.080
1146	918	459	200	182,5	200	85.703.080

Note: Observe the maximum installation height.

Pull-out shelf

Full extension with ball bearings, including guide rails.

For the storage of heavy separate components. The inserted slats enable items to be stored and withdrawn flush with the handle. The construction corresponds to a 75 mm drawer with a 50 mm high front. Handles equipped with integrated label strips and transparent covers. Label sheets – which can be written on using Lista Script labelling system – are included separately. Specification: sheet steel. Slat specification: sheet steel profile, sendzimir galvanised. Colour: grey, NCS 4502-B.

D ↗ 690 mm For 690 mm deep housing with retracting doors.

For cabinet width mm	Usable width mm	Usable depth mm	Front height mm	Usable height mm		Art. no.
1146	918	459	75	-	200	85.704.080

Note: Observe the maximum installation height.

Base

Is screwed together with the housing floor. To hold and to transport the cabinet e.. g. with a forklift. Specification: welded profile steel construction. Fastening material included. Colour: anthracite grey, RAL 7016.

Width mm	Depth mm	Height mm		Art. no.
1144	688	150	1500	59.412.000



⇒ For suitable partition material see page 716



Heavy-duty cabinets

Lista Units

Pre-configured cabinets

open, with solid sheet or viewing window hinged doors

W → 1100 mm



4 adjustable shelves



Cabinet, open

641	160	-	-	98.080.XXX
-----	-----	---	---	------------



3 adjustable shelves

1 drawer
100 mm

1 drawer
150 mm



Cabinet, open

641	200/160	-	-	98.084.XXX
-----	---------	---	---	------------

200 drawers

160 adjustable shelves



4 adjustable shelves

2 drawers
100 mm
100 mm



Cabinet, open

641	200/160	-	-	98.088.XXX
-----	---------	---	---	------------

200 drawers

160 adjustable shelves



2 adjustable shelves

2 drawers
100 mm
100 mm

2 drawers
150 mm
150 mm

1 pull-out shelf



Cabinet, open

641	200/160	-	-	98.092.XXX
-----	---------	---	---	------------

200 drawers / pull-out shelves

160 adjustable shelves



54 x 27 E

H ↑ 1950 mm

W → 1100 mm



D ↗ mm Hinge pins mounted Art. no.

Cabinets with 2 solid sheet hinged doors

641	160	Key Lock	Pintle	98.081.XXX
641	160	Code Lock	Pintle	98.100.XXX

Cabinets with 2 viewing window hinged doors

641	160	Key Lock	Pintle	98.082.XXX
641	160	Code Lock	Pintle	98.101.XXX



D ↗ mm Hinge pins mounted Art. no.

Cabinets with 2 solid sheet hinged doors

641	200/160	Key Lock	Pintle	98.085.XXX
641	200/160	Code Lock	Pintle	98.102.XXX

Cabinets with 2 viewing window hinged doors

641	200/160	Key Lock	Pintle	98.086.XXX
641	200/160	Code Lock	Pintle	98.103.XXX

200 drawers 160 adjustable shelves



D ↗ mm Hinge pins mounted Art. no.

Cabinets with 2 solid sheet hinged doors

641	200/160	Key Lock	Pintle	98.089.XXX
641	200/160	Code Lock	Pintle	98.105.XXX

Cabinets with 2 viewing window hinged doors

641	200/160	Key Lock	Pintle	98.090.XXX
641	200/160	Code Lock	Pintle	98.106.XXX

200 drawers 160 adjustable shelves



D ↗ mm Hinge pins mounted Art. no.

Cabinets with 2 solid sheet hinged doors

641	200/160	Key Lock	Pintle	98.093.XXX
641	200/160	Code Lock	Pintle	98.107.XXX

Cabinets with 2 viewing window hinged doors

641	200/160	Key Lock	Pintle	98.094.XXX
641	200/160	Code Lock	Pintle	98.108.XXX

200 drawers / pull-out shelves 160 adjustable shelves

Cabinet systems

Heavy-duty cabinets

Lista Units

Pre-configured cabinets with roller shutter

W  **1100 mm**



4 adjustable shelves



3 adjustable shelves

1 drawer
100 mm

1 drawer
150 mm

D  mm   Hinge pins mounted Art. no. 


Cabinet with roller shutter

641 160 Key Lock - **98.083.XXX**

D  mm   Hinge pins mounted Art. no. 

Cabinet with roller shutter

641 200/160 Key Lock - **98.087.XXX**

 200 drawers

 160 adjustable shelves



@ Lista online

The entire Lista range offers countless solutions to meet your specific requirements. The Online Compendium 2, the Lista Configurator and the Lista Script can be found here:

www.lista.com



Art. no. **98.091.100**
Signal blue, RAL 5005

54 x 27 E

H ↑ 1950 mm

W → 1100 mm



4 adjustable shelves
2 drawers
100 mm
100 mm



2 adjustable shelves
2 drawers
100 mm
100 mm
2 drawers
150 mm
150 mm
1 pull-out shelf

D ↗ mm Hinge pins mounted Art. no.

Cabinet with roller shutter

641	200/160	Key Lock	-	98.091.XXX
200 drawers	160 adjustable shelves			

D ↗ mm Hinge pins mounted Art. no.

Cabinet with roller shutter

641	200/160	Key Lock	-	98.095.XXX
200 drawers / pull-out shelves	160 adjustable shelves			



Art. no. **98.091.010**
Light blue, RAL 5012
(excluding partition material)

i Tip



Heavy-duty cabinets with roller shutter

The heavy-duty cabinets with roller shutter are the ideal solution especially for confined spaces. In just a few simple steps the entire storage space can be accessed without doors protruding into the aisle area. The drawers can be individually equipped with matching partition material.

Heavy-duty cabinets

Lista Units

Cabinet housing with hinged doors or roller shutter with Key Lock or Code Lock

W → 1100 mm



Cabinet housing

The cabinet housing is made of high-quality, welded sheet steel and has a sturdy design. An integrated support pillar system allows interior fitting with 25:25 mm divisions.



Max. installation height for drawers and pull-out shelves: 1400 mm of the housing opening.



Housing for 2 hinged doors/ roller shutter

Hinged doors

The doors are available either in solid sheet or with viewing windows as desired. They are multiply folded, flush-fitting and are flush with the cabinet housing. The doors are hinged on a pintle bearing assembly. The opening angle is approx. 115°. The hinged doors are prepared for installation of Key Lock or Code Lock.

Roller shutter

The roll-up mechanism of the roller shutter is designed so that the shutter can be pushed upward or downward easily and it stops at any height without fixing. The roller shutter is prepared for the Key Lock locking system and is available in a colour similar to light grey, RAL 7035. The colour of the strike plate is variable.



H ↑ Housing	mm		1950
	Clear height	mm	Hinged door 1790 / roller shutter 1640
D ↗ mm		Specification	Art. no.
641		-	98.096.XXX

Hinged door set and roller shutter for Key Lock

2 doors/roller shutter excluding clasp lock and/or push handle cylinder Separately lockable		Solid sheet	62.031.XXX	
		Viewing window	62.032.XXX	
		Roller shutter	98.097.XXX	
● Clasp lock (random number)		For hinged door	49.060.000	
● Push handle cylinder (random number)		For roller shutter	62.062.000	

2 doors/roller shutter excluding clasp lock and/or push handle cylinder Simultaneously lockable		Solid sheet	62.031.XXX	
		Viewing window	62.032.XXX	
		Roller shutter	98.097.XXX	
+ Clasp lock 2C____ (number according to choice)		For hinged door	49.067.000	
For off-the-shelf clasp locks with pre-defined number see page 530				
Push handle cylinder 2C____ (number according to choice)		For roller shutter	62.072.000	
+ Push handle cylinder 2C 1 (pre-defined number)		For roller shutter	62.071.000	

2 doors/roller shutter excluding clasp lock and/or push handle cylinder Master key system		Solid sheet	62.031.XXX	
		Viewing window	62.032.XXX	
		Roller shutter	98.097.XXX	
+ Clasp lock for master key system		For hinged door	49.068.000	
+ Push handle cylinder (number according to choice)		For roller shutter	62.076.000	
● Master key (registered system)			20.040.000	

Hinged door set for Code Lock

2 doors excluding clasp lock	Solid sheet	62.031.XXX	
	Viewing window	62.032.XXX	
● Clasp lock with Code Lock		49.070.000	

+ Please state the existing cylinder number for repeat orders ● Required for operation

54 x 27 E

Cabinet accessories

for cabinets, open, with hinged doors or roller shutter

Adjustable shelf, plain

Adjustable shelf including 4 shelf supports. Specification: sheet steel, galvanised. Long sides folded by 4 x 90°. 35 mm thick with load capacity of 160 kg.

W → 1100 mm For 1100 mm wide housing open, with hinged doors or roller shutter.

For cabinet depth mm	Usable depth mm	Usable width mm	kg	Specification	Art. no.
641	549	967	160	-	98.098.000



Drawers

Full extension with ball bearings, including guide rails. The drawer panels have a slotted grid in units (E) of 17 mm inside on all sides, the drawer bottom is perforated, which enables individual subdivision. The fronts are equipped with continuous handles with integrated label strips and transparent covers. Label sheets – which can be written on using Lista Script labelling system – are included separately. Specification: sheet steel. Colour: grey, NCS 4502-B.

D ↗ 641 mm For 641 mm deep housing, open, with hinged doors or roller shutter.

For cabinet width mm	Usable width mm	Usable depth mm	Front height mm	Usable height mm	kg	Art. no.
1100	918	459	75	57,5	200	85.700.080
1100	918	459	100	82,5	200	85.701.080
1100	918	459	150	132,5	200	85.702.080
1100	918	459	200	182,5	200	85.703.080



Pull-out shelf

Full extension with ball bearings, including guide rails.

For the storage of heavy separate components. The inserted slats enable items to be stored and withdrawn flush with the handle. The construction corresponds to a 75 mm drawer with a 50 mm high front. Handles equipped with integrated label strips and transparent covers. Label sheets – which can be written on using Lista Script labelling system – are included separately. Specification: sheet steel. Slat specification: sheet steel profile, sendzimir galvanised. Colour: grey, NCS 4502-B.

D ↗ 641 mm For 641 mm deep housing, open, with hinged doors or roller shutter.

For cabinet width mm	Usable width mm	Usable depth mm	Front height mm	Usable height mm	kg	Art. no.
1100	918	459	75	-	200	85.704.080



Colours

Housings and doors available in 12 standard colours and 12 additional colours (with surcharge). When placing your order, please enter the desired three-digit colour code (instead of XXX). Customised colours on request.



➤ For colour information see fold-out

➤ For locking systems see page 24

➤ For suitable partition material see page 716