



Hinged door cabinets

Practical access

Hinged door cabinets provide a low-cost solution for storing all types of inventory in ideal space conditions. All cabinets can be configured individually through flexible use of partition material sets and cabinet accessories.



Individual partitioning and simple adjustment

The hinged door cabinets can be individually equipped with adjustable shelves, drawers and pull-out shelves. So the cabinet system is suitable for countless types of inventory and is a real "all-rounder".



Hinged doors with viewing windows

For greater transparency in the warehouse, the hinged door cabinets are also available with viewing window doors. They provide a clear view of the stored items and also motivate employees to keep the inside of the cabinet neat and organised.



Choice of locking systems

Two locking systems are available for all hinged door cabinets; Key Lock and Code Lock. The standard Key Lock system with interchangeable cylinder can easily be fitted into existing locking systems. For the Code Lock system, the key is replaced by a number combination. Additional locking systems, such as remote electronic locking by RF fob available on request.

i Benefits

- Carefully welded sheet steel construction
- Access to all stored items
- Solid sheet or viewing window doors with pintle or hinge bearing assembly
- Choice of Key Lock or Code Lock locking system (see page 24)
- Remote electronic locking by RF fob available on request
- Individual configuration and adjustment options thanks to wide range of accessories
- Retrofitting with drawers and pull-out shelves for cabinet depth of 580 mm possible with hinge bearing assembly
- 12 standard colours without a surcharge and 12 optional colours (see page 29)

@ Lista online

The entire Lista range offers countless solutions to meet your specific requirements. The Online Compendium 2, the Lista Configurator and the Lista Script can be found here:

www.lista.com



The sturdy Lista hinged doors offer countless configurations, colours and locking options.



Cabinet systems

-
-
-
-
-
-
-
-
-

Hinged door cabinets

Pre-configured cabinets with solid sheet or viewing window doors



Art. no. **60.529.010**
Light blue, RAL 5012

i Features

- Solid sheet or viewing window doors, flush-fitting, folded from one piece
- Interior fittings height-adjustable in 25 mm increments
- Maximum load capacity: housing 500 kg, adjustable shelves 60 or 100 kg, drawers and pull-out shelves 50 kg
- Adjustable shelves: galvanised, 25 or 30 mm thick
- Pull-out shelves, drawers: painted, colour: anthracite grey, RAL 7016.
- Choice of Key Lock (separately lockable) or Code Lock; for further locking options see individual configuration
- Durable powder coating
- ESD on request

i Design diversity

- Housing heights: 1000, 1950 mm;
Housing widths: 500, 750*, 1000*, 1250* mm;
Housing depths: 400, 500, 580 mm
*with or without divider respectively
- Cabinet accessories: Adjustable shelves, dividers, drawers, pull-out shelves
- Covers: raised edges, ribbed mats, control panel
- Interior fittings: pull-out suspension filing frame, combination holder, coat rod (with or without hook)
- Partition material sets for drawer width 500 or 1000 mm
- Further accessories: base, set of castors, standing desk



Pin bearing assembly

The doors are flush with the cabinet housing. For use without drawers or pull-out shelves. Opening angle approx. 115°.



Hinge bearing assembly

Doors with hinge bearing assembly are required for fitting drawers and pull-out/adjustable shelves. The doors are flush with the cabinet housing. Opening angle approx. 115°.

Colours

Cabinets available in 12 standard colours and 12 additional colours (with surcharge). When placing your order, please enter the desired three-digit colour code (instead of XXX). Customised colours on request.

➤ For colour information
see fold-out



H **1000 mm**

W **500 mm**



1 adjustable shelf



2 adjustable shelves

D mm			Hinge pins mounted	Art. no.
-------------	--	--	--------------------	----------

Cabinets with 1 solid sheet door

400	60	Key Lock	Pintle	62.150.XXX
500	60	Key Lock	Pintle	62.151.XXX
580	60	Key Lock	Pintle	62.146.XXX
580	60	Key Lock	Hinge*	58.280.XXX
400	60	Code Lock	Pintle	60.510.XXX
500	60	Code Lock	Pintle	60.511.XXX
580	60	Code Lock	Pintle	60.512.XXX
580	60	Code Lock	Hinge*	60.513.XXX

Cabinets with 1 viewing window door

400	60	Key Lock	Pintle	60.514.XXX
500	60	Key Lock	Pintle	60.515.XXX
580	60	Key Lock	Pintle	60.516.XXX
580	60	Key Lock	Hinge*	60.517.XXX
400	60	Code Lock	Pintle	60.518.XXX
500	60	Code Lock	Pintle	60.519.XXX
580	60	Code Lock	Pintle	60.520.XXX
580	60	Code Lock	Hinge*	60.521.XXX



1 drawer
95 mm

2 adjustable shelves

D mm			Hinge pins mounted	Art. no.
-------------	--	--	--------------------	----------

Cabinets with 1 solid sheet door

580	50/60	Key Lock	Hinge*	58.652.XXX
580	50/60	Code Lock	Hinge*	60.534.XXX

Cabinets with 1 viewing window door

580	50/60	Key Lock	Hinge*	60.535.XXX
580	50/60	Code Lock	Hinge*	60.536.XXX

D mm			Hinge pins mounted	Art. no.
-------------	--	--	--------------------	----------

Cabinets with 1 solid sheet door

400	60	Key Lock	Pintle	62.152.XXX
500	60	Key Lock	Pintle	62.153.XXX
580	60	Key Lock	Pintle	62.147.XXX
580	60	Key Lock	Hinge*	58.283.XXX
400	60	Code Lock	Pintle	60.522.XXX
500	60	Code Lock	Pintle	60.523.XXX
580	60	Code Lock	Pintle	60.524.XXX
580	60	Code Lock	Hinge*	60.525.XXX

Cabinets with 1 viewing window door

400	60	Key Lock	Pintle	60.526.XXX
500	60	Key Lock	Pintle	60.527.XXX
580	60	Key Lock	Pintle	60.528.XXX
580	60	Key Lock	Hinge*	60.529.XXX
400	60	Code Lock	Pintle	60.530.XXX
500	60	Code Lock	Pintle	60.531.XXX
580	60	Code Lock	Pintle	60.532.XXX
580	60	Code Lock	Hinge*	60.533.XXX

50 drawers

60 adjustable shelves

* Retrofitting with drawers and pull-out shelves possible.



Hinged door cabinets

Pre-configured cabinets with solid sheet or viewing window doors

W → 1000 mm



2 adjustable shelves



1 drawer
95 mm
1 adjustable shelf

D mm Hinge pins mounted Art. no.

Cabinets with 2 solid sheet doors

400	60	Key Lock	Pintle	60.460.XXX
500	60	Key Lock	Pintle	60.461.XXX
580	60	Key Lock	Pintle	62.148.XXX
580	60	Key Lock	Hinge*	58.656.XXX
400	60	Code Lock	Pintle	60.546.XXX
500	60	Code Lock	Pintle	60.547.XXX
580	60	Code Lock	Pintle	60.548.XXX
580	60	Code Lock	Hinge*	60.549.XXX

Cabinets with 2 viewing window doors

400	60	Key Lock	Pintle	60.550.XXX
500	60	Key Lock	Pintle	60.551.XXX
580	60	Key Lock	Pintle	60.552.XXX
580	60	Key Lock	Hinge*	60.553.XXX
400	60	Code Lock	Pintle	60.554.XXX
500	60	Code Lock	Pintle	60.555.XXX
580	60	Code Lock	Pintle	60.556.XXX
580	60	Code Lock	Hinge*	60.557.XXX

D mm Hinge pins mounted Art. no.

Cabinets with 2 solid sheet doors

580	50/60	Key Lock	Hinge*	58.657.XXX
580	50/60	Code Lock	Hinge*	60.558.XXX

Cabinets with 2 viewing window doors

580	50/60	Key Lock	Hinge*	60.559.XXX
580	50/60	Code Lock	Hinge*	60.560.XXX

50 drawers

60 adjustable shelves



1 drawer
95 mm
2 pull-out shelves

D mm Hinge pins mounted Art. no.

Cabinets with 2 solid sheet doors

580	50	Key Lock	Hinge*	58.607.XXX
580	50	Code Lock	Hinge*	60.564.XXX

Cabinets with 2 viewing window doors

580	50	Key Lock	Hinge*	60.565.XXX
580	50	Code Lock	Hinge*	60.566.XXX

50 drawers / pull-out shelves

* Retrofitting with drawers and pull-out shelves possible.



Art. no. **60.562.010**
Light blue, RAL 5012
(excluding partition material)



H ↑ 1000 mm

W → 1000 mm



D ↗ mm Hinge pins mounted Art. no.

Cabinets with 2 solid sheet doors

580	50/60	Key Lock	Hinge*	58.658.XXX
580	50/60	Code Lock	Hinge*	60.561.XXX

Cabinets with 2 viewing window doors

580	50/60	Key Lock	Hinge*	60.562.XXX
580	50/60	Code Lock	Hinge*	60.563.XXX

50 drawers 60 adjustable shelves



D ↗ mm Hinge pins mounted Art. no.

Cabinets with 2 solid sheet doors and partition

580	50/60	Key Lock	Hinge*	58.436.XXX
580	50/60	Code Lock	Hinge*	60.589.XXX

Cabinets with 2 viewing window doors and partition

580	50/60	Key Lock	Hinge*	60.590.XXX
580	50/60	Code Lock	Hinge*	60.591.XXX

50 pull-out shelves 60 adjustable shelves



D ↗ mm Hinge pins mounted Art. no.

Cabinets with 2 solid sheet doors and partition

580	50/60	Key Lock	Hinge*	58.437.XXX
580	50/60	Code Lock	Hinge*	60.592.XXX

Cabinets with 2 viewing window doors and partition

580	50/60	Key Lock	Hinge*	60.593.XXX
580	50/60	Code Lock	Hinge*	60.594.XXX

50 drawers / pull-out shelves 60 adjustable shelves



D ↗ mm Hinge pins mounted Art. no.

Cabinets with 2 solid sheet doors and partition

580	50/60	Key Lock	Hinge*	58.434.XXX
580	50/60	Code Lock	Hinge*	60.595.XXX

Cabinets with 2 viewing window doors and partition

580	50/60	Key Lock	Hinge*	60.596.XXX
580	50/60	Code Lock	Hinge*	60.597.XXX

50 drawers / pull-out shelves 60 adjustable shelves * Retrofitting with drawers and pull-out shelves (width 500 mm) possible.

Cabinet systems

@ Lista online

The entire Lista range offers countless solutions to meet your specific requirements. The Online Compendium 2, the Lista Configurator and the Lista Script can be found here:
www.lista.com



Hinged door cabinets

Pre-configured cabinets with solid sheet or viewing window doors

W → 750 mm



4 adjustable shelves

D → mm Hinge pins mounted Art. no.

Cabinets with 2 solid sheet doors

500	60	Key Lock	Pintle	62.155.XXX	
580	60	Key Lock	Pintle	62.156.XXX	
500	60	Code Lock	Pintle	60.538.XXX	
580	60	Code Lock	Pintle	60.539.XXX	

W → 1000 mm



4 adjustable shelves

D → mm Hinge pins mounted Art. no.

Cabinets with 2 solid sheet doors

400	60	Key Lock	Pintle	60.418.XXX	
500	60	Key Lock	Pintle	60.419.XXX	
580	60	Key Lock	Pintle	62.149.XXX	
580	60	Key Lock	Hinge*	58.617.XXX	
400	60	Code Lock	Pintle	62.198.XXX	
500	60	Code Lock	Pintle	62.199.XXX	
580	60	Code Lock	Pintle	62.200.XXX	
580	60	Code Lock	Hinge*	60.567.XXX	

Cabinets with 2 viewing window doors

400	60	Key Lock	Pintle	62.201.XXX	
500	60	Key Lock	Pintle	62.202.XXX	
580	60	Key Lock	Pintle	62.203.XXX	
580	60	Key Lock	Hinge*	60.333.XXX	
400	60	Code Lock	Pintle	62.204.XXX	
500	60	Code Lock	Pintle	62.205.XXX	
580	60	Code Lock	Pintle	62.206.XXX	
580	60	Code Lock	Hinge*	60.568.XXX	

* Retrofitting with drawers and pull-out shelves possible.



Art. no.
62.206.030
Reseda green,
RAL 6011

i Tip



Viewing window doors

Depending on their usage, viewing window doors offer greater benefits compared to solid sheet doors: the view makes direct access easier and reduces search times. In addition the viewing windows motivate employees to store away the inventory carefully and neatly.

H ↑ 1950 mm


W → 1000 mm



2 adjustable shelves
1 drawer
95 mm
4 pull-out shelves



2 adjustable shelves
2 drawers
95 mm
95 mm
3 pull-out shelves




Cabinets with 2 solid sheet doors

580	50/60	Key Lock	Hinge*	58.663.XXX
580	50/60	Code Lock	Hinge*	60.569.XXX

Cabinets with 2 viewing window doors

580	50/60	Key Lock	Hinge*	60.336.XXX
580	50/60	Code Lock	Hinge*	60.570.XXX

50 drawers / pull-out shelves 60 adjustable shelves



Cabinets with 2 solid sheet doors

580	50/60	Key Lock	Hinge*	58.664.XXX
580	50/60	Code Lock	Hinge*	60.571.XXX


Cabinets with 2 viewing window doors

580	50/60	Key Lock	Hinge*	60.416.XXX
580	50/60	Code Lock	Hinge*	60.572.XXX

50 drawers / pull-out shelves 60 adjustable shelves



2 adjustable shelves
3 drawers
95 mm
95 mm
95 mm
2 pull-out shelves



Cabinets with 2 solid sheet doors

580	50/60	Key Lock	Hinge*	58.665.XXX
580	50/60	Code Lock	Hinge*	60.573.XXX

Cabinets with 2 viewing window doors

580	50/60	Key Lock	Hinge*	60.417.XXX
580	50/60	Code Lock	Hinge*	60.574.XXX

50 drawers / pull-out shelves 60 adjustable shelves

* Retrofitting with drawers and pull-out shelves possible.



Art. no. **58.665.010**
Light blue, RAL 5012

Hinged door cabinets

Pre-configured cabinets with solid sheet or viewing window doors

W → 1000 mm



D ↗ mm Hinge pins mounted Art. no.

Cabinets with 2 solid sheet doors

580	50/60	Key Lock	Hinge*	58.662.XXX
580	50/60	Code Lock	Hinge*	60.575.XXX

Cabinets with 2 viewing window doors

580	50/60	Key Lock	Hinge*	60.335.XXX
580	50/60	Code Lock	Hinge*	60.576.XXX

50 pull-out shelves 60 adjustable shelves



D ↗ mm Hinge pins mounted Art. no.

Cabinets with 2 solid sheet doors

580	50/60	Key Lock	Hinge*	58.623.XXX
580	50/60	Code Lock	Hinge*	60.577.XXX

Cabinets with 2 viewing window doors

580	50/60	Key Lock	Hinge*	60.578.XXX
580	50/60	Code Lock	Hinge*	60.579.XXX

50 pull-out shelves 60 adjustable shelves * Retrofitting with drawers and pull-out shelves possible.



D ↗ mm Hinge pins mounted Art. no.

Cabinets with 2 solid sheet doors and partition

580	50/60	Key Lock	Hinge*	58.428.XXX
580	50/60	Code Lock	Hinge*	60.598.XXX

Cabinets with 2 viewing window doors and partition

580	50/60	Key Lock	Hinge*	60.599.XXX
580	50/60	Code Lock	Hinge*	60.600.XXX

50 pull-out shelves 60 adjustable shelves



D ↗ mm Hinge pins mounted Art. no.

Cabinets with 2 solid sheet doors and partition

580	50/60	Key Lock	Hinge*	58.445.XXX
580	50/60	Code Lock	Hinge*	60.601.XXX

Cabinets with 2 viewing window doors and partition

580	50/60	Key Lock	Hinge*	60.602.XXX
580	50/60	Code Lock	Hinge*	60.603.XXX

50 pull-out shelves 60 adjustable shelves * Retrofitting with drawers and pull-out shelves (width 500 mm) possible.

H **1950 mm**

W **1000 mm**



6 adjustable shelves

10 drawers
95 mm 95 mm
95 mm 95 mm
95 mm 95 mm
95 mm 95 mm
95 mm 95 mm

2 pull-out shelves



10 adjustable shelves

D mm Hinge pins mounted Art. no.

Cabinets with 2 solid sheet doors and partition

580	50/60	Key Lock	Hinge*	58.444.XXX
580	50/60	Code Lock	Hinge*	60.604.XXX

Cabinets with 2 viewing window doors and partition

580	50/60	Key Lock	Hinge*	60.605.XXX
580	50/60	Code Lock	Hinge*	60.606.XXX

50 drawers / pull-out shelves

60 adjustable shelves

* Retrofitting with drawers and pull-out shelves (width 500 mm) possible.

D mm Hinge pins mounted Art. no.

Cabinets with 2 solid sheet doors and partition

500	60	Key Lock	Pintle	60.614.XXX
580	60	Key Lock	Pintle	60.615.XXX
500	60	Code Lock	Pintle	60.617.XXX
580	60	Code Lock	Pintle	60.618.XXX

Cabinets with 2 viewing window doors and partition

500	60	Key Lock	Pintle	60.621.XXX
580	60	Key Lock	Pintle	60.622.XXX
500	60	Code Lock	Pintle	60.625.XXX
580	60	Code Lock	Pintle	60.626.XXX



i Tip



Perfect storage

All drawers in hinged door cabinets can be fitted with Lista partition material to ensure the correct storage of small parts within designated spaces.

Hinged door cabinets

Pre-configured cabinets with solid sheet or viewing window doors

W → 750 mm



- 4 adjustable shelves
- 1 combination holder for cleaning equipment

D ↗ mm Hinge pins mounted Art. no.

Cabinets with 2 solid sheet doors and partition

500	60	Key Lock	Pintle	60.627.XXX
500	60	Code Lock	Pintle	60.628.XXX

W → 1000 mm



- 4 adjustable shelves
- 1 combination holder for cleaning equipment

D ↗ mm Hinge pins mounted Art. no.

Cabinets with 2 solid sheet doors and partition

500	60	Key Lock	Pintle	60.631.XXX
500	60	Code Lock	Pintle	60.632.XXX

Cabinets with 2 viewing window doors and partition

500	60	Key Lock	Pintle	60.633.XXX
500	60	Code Lock	Pintle	60.634.XXX

W → 1000 mm



- 1 adjustable shelf
- 1 coat rod with 3 steel coat hooks

D ↗ mm Hinge pins mounted Art. no.

Cabinets with 2 solid sheet doors

500	60	Key Lock	Pintle	60.466.XXX
580	60	Key Lock	Pintle	62.386.XXX
500	60	Code Lock	Pintle	60.607.XXX
580	60	Code Lock	Pintle	62.387.XXX

Cabinets with 2 viewing window doors

500	60	Key Lock	Pintle	60.608.XXX
500	60	Code Lock	Pintle	60.609.XXX



- 1 adjustable shelf
Usable width 982 mm
- 3 adjustable shelves
Usable width 481 mm
- 1 coat rod with 3 plastic hooks

D ↗ mm Hinge pins mounted Art. no.

Cabinets with 2 solid sheet doors and partition

500	60	Key Lock	Pintle	60.472.XXX
500	60	Code Lock	Pintle	60.610.XXX

Cabinets with 2 viewing window doors and partition

500	60	Key Lock	Pintle	60.611.XXX
500	60	Code Lock	Pintle	60.612.XXX

H ↑ 1950 mm

W → 1000 mm



2 adjustable shelves
2 pull-out suspension filing frames for cross- and lengthwise storage, subdivided with 2 division frames (without suspension files)

i Tip

The combination holder

The practical combination holder, which can also be retrofitted in the hinged door cabinet (Art. no. 58.061.000), makes it easy to store cleaning equipment compactly.



2 adjustable shelves
3 pull-out suspension filing frames for cross- and lengthwise storage, subdivided with 2 division frames (without suspension files)

D mm Hinge pins mounted Art. no.

Cabinets with 2 solid sheet doors

580	50/60	Key Lock	Hinge*	57.107.XXX
580	50/60	Code Lock	Hinge*	60.635.XXX

Cabinets with 2 viewing window doors

580	50/60	Key Lock	Hinge*	60.636.XXX
580	50/60	Code Lock	Hinge*	60.637.XXX

D mm Hinge pins mounted Art. no.

Cabinets with 2 solid sheet doors

580	50/60	Key Lock	Hinge*	57.118.XXX
580	50/60	Code Lock	Hinge*	60.638.XXX

Cabinets with 2 viewing window doors

580	50/60	Key Lock	Hinge*	60.639.XXX
580	50/60	Code Lock	Hinge*	60.640.XXX

50 pull-out suspension filing frames 60 adjustable shelves * Retrofitting with drawers and pull-out shelves possible.

W → 1250 mm



4 adjustable shelves

i Tip



Practical pull-out suspension filing frame

In shop floors and office-like workplaces, hinged door cabinets including a pull-out suspension filing frame are the optimum solution for the practical storage of documents and files. Pull-out suspension filing frames can also be retrofitted in the respective hinged door cabinet (see page 484). In this case, the cabinet depth must be 580 mm.

D mm Hinge pins mounted Art. no.

Cabinets with 2 solid sheet doors

400	60	Key Lock	Pintle	60.420.XXX
500	60	Key Lock	Pintle	60.421.XXX
580	60	Key Lock	Pintle	60.471.XXX
400	60	Code Lock	Pintle	60.580.XXX
500	60	Code Lock	Pintle	60.581.XXX
580	60	Code Lock	Pintle	60.582.XXX

D mm Hinge pins mounted Art. no.

Cabinets with 2 viewing window doors

400	60	Key Lock	Pintle	60.583.XXX
500	60	Key Lock	Pintle	60.584.XXX
580	60	Key Lock	Pintle	60.585.XXX
400	60	Code Lock	Pintle	60.586.XXX
500	60	Code Lock	Pintle	60.587.XXX
580	60	Code Lock	Pintle	60.588.XXX

Hinged door cabinets

Cabinet housing and hinged doors with Key Lock or Code Lock



Housing for 1 hinged door

Cabinet housing

The housings of the hinged door cabinets are made of high-quality sheet steel and are available with specifications for one or two hinged doors with or without a fixed partition. The inside fittings of the cabinet are easy to customise thanks to the 25:25 mm divisions.

Hinged doors

The hinged doors in solid sheet or with a viewing window are folded from one piece, flush-fitting and flush with the cabinet housing. The doors can be equipped with a hinge or pintle bearing assembly, with an opening angle of approx. 115°. The hinged doors can be equipped either with Key Lock or Code Lock as desired.



Colours

Housings and doors available in 12 standard colours and 12 additional colours (with surcharge). When placing your order, please enter the desired three-digit colour code (instead of XXX). Customised colours on request.



For colour information see fold-out

W → Housing	mm	Specification	Hinge pins mounted	Art. no.
D ↗ mm	400	-	Pintle	62.157.XXX
	500	Control panel possible	Pintle	62.158.XXX
	500	Control panel and/or substructure with swivel castors possible	For mobile use Pintle	58.675.XXX
	580	Control panel possible	Pintle	62.143.XXX
	580	Control panel possible	Hinge	57.602.XXX*

* Installation of 500 mm wide drawers and pull-out shelves possible.

Hinged door set for Key Lock

1 door/
2 doors **excluding**
clasp lock




Separately lockable

- Clasp lock (random number)

Solid sheet	Pintle	62.081.XXX
Solid sheet	Hinge	62.003.XXX
Viewing window	Pintle	62.371.XXX
Viewing window	Hinge	62.307.XXX

1 door/
2 doors **excluding**
clasp lock



Simultaneously lockable

- + Clasp lock 2C_____ (number according to choice)

Solid sheet	Pintle	62.081.XXX
Solid sheet	Hinge	62.003.XXX
Viewing window	Pintle	62.371.XXX
Viewing window	Hinge	62.307.XXX

For off-the-shelf clasp locks with pre-defined numbers, see below***

1 door/
2 doors **excluding**
clasp lock



Master key system

- + Clasp lock for master key system
- Master key (registered system)

Solid sheet	Pintle	62.081.XXX
Solid sheet	Hinge	62.003.XXX
Viewing window	Pintle	62.371.XXX
Viewing window	Hinge	62.307.XXX

Hinged door set for Code Lock

1 door/
2 doors **excluding**
clasp lock

- Clasp lock with Code Lock

Solid sheet	Pintle	62.081.XXX
Solid sheet	Hinge	62.003.XXX
Viewing window	Pintle	62.371.XXX
Viewing window	Hinge	62.307.XXX

*** Clasp locks 2C with pre-defined number

In stock	Art. no.	Art. no.	
Cam Cylinder 2C 1	49.061.000	Cam Cylinder 2C 4	49.064.000
Cam Cylinder 2C 2	49.062.000	Cam Cylinder 2C 5	49.065.000
Cam Cylinder 2C 3	49.063.000	Cam Cylinder 2C 6	49.066.000

H  **1000 mm**
Clear height 885 mm





Housing for 2 hinged doors



Housing for 2 hinged doors, with fixed partition



Partition

1000		1000		Partitions	
Art. no.		Art. no.		Depth	Art. no.
60.430.XXX		-		400	58.043.000
60.431.XXX		-		500	58.044.000
-		-		580	58.045.000
62.144.XXX		-			
57.614.XXX**		58.431.XXX*			

** Installation of 1000 mm wide drawers and pull-out shelves possible.

* Installation of 500 mm wide drawers and pull-out shelves possible.

Partitions


The special sheet steel version with a perpendicular partitioning ratio of 25:25 mm is suitable for empty housings without a fixed divider. The pre-assembled dividers in light grey, RAL 7035, partition the hinged door cabinet housing.

 For control panel see page 485

62.019.XXX		62.019.XXX	
62.009.XXX		62.009.XXX	
62.372.XXX		62.372.XXX	
62.137.XXX		62.137.XXX	
49.060.000		49.060.000	
62.019.XXX		62.019.XXX	
62.009.XXX		62.009.XXX	
62.372.XXX		62.372.XXX	
62.137.XXX		62.137.XXX	
49.067.000		49.067.000	
62.019.XXX		62.019.XXX	
62.009.XXX		62.009.XXX	
62.372.XXX		62.372.XXX	
62.137.XXX		62.137.XXX	
49.068.000		49.068.000	
20.040.000		20.040.000	
62.019.XXX		62.019.XXX	
62.009.XXX		62.009.XXX	
62.372.XXX		62.372.XXX	
62.137.XXX		62.137.XXX	
49.070.000		49.070.000	

+ Please state the existing cylinder number for repeat orders

● Required for operation

 For locking systems see page 24



Cabinet systems

Hinged door cabinets

Cabinet housing and hinged doors with Key Lock or Code Lock



Housing for 2 hinged doors

Cabinet housing

The housings of the hinged door cabinets are made of high-quality sheet steel and are available with specifications for two hinged doors with or without a fixed partition. The inside fittings of the cabinet are easy to customise thanks to the 25:25 mm divisions.

Hinged doors

The hinged doors in solid sheet or with a viewing window are folded from one piece, flush-fitting and flush with the cabinet housing. The doors can be equipped with a hinge or pintle bearing assembly, with an opening angle of approx. 115°. The hinged doors can be equipped either with Key Lock or Code Lock as desired.



W → Housing	mm			750
D ↗ mm	mm	Specification	Hinge pins mounted	Art. no.
400		-	Pintle	-
400		-	Hinge	-
500		-	Pintle	60.438.XXX
500		-	Hinge	-
580		-	Pintle	60.467.XXX
580		-	Hinge	-

Hinged door set for Key Lock

2 doors excluding clasp lock		Solid sheet	Pintle	62.018.XXX
		Solid sheet	Hinge	-
		Viewing window	Pintle	-
		Viewing window	Hinge	-
● Clasp lock (random number)		-	-	49.060.000
2 doors excluding clasp lock		Solid sheet	Pintle	62.018.XXX
		Solid sheet	Hinge	-
		Viewing window	Pintle	-
		Viewing window	Hinge	-
+ Clasp lock 2C_____ (number according to choice)		-	-	49.067.000
For off-the-shelf clasp locks with pre-defined numbers, see below***				
2 doors excluding clasp lock		Solid sheet	Pintle	62.018.XXX
		Solid sheet	Hinge	-
		Viewing window	Pintle	-
		Viewing window	Hinge	-
+ Clasp lock for master key system		-	-	49.068.000
● Master key (registered system)		-	-	20.040.000

Hinged door set for Code Lock

2 doors excluding clasp lock		Solid sheet	Pintle	62.018.XXX
		Solid sheet	Hinge	-
		Viewing window	Pintle	-
		Viewing window	Hinge	-
● Clasp lock with Code Lock		-	-	49.070.000

*** Clasp locks 2C with pre-defined number

In stock	Art. no.		Art. no.
Cam Cylinder 2C 1	49.061.000	Cam Cylinder 2C 4	49.064.000
Cam Cylinder 2C 2	49.062.000	Cam Cylinder 2C 5	49.065.000
Cam Cylinder 2C 3	49.063.000	Cam Cylinder 2C 6	49.066.000



Housing for 2 hinged doors



Housing for 2 hinged doors, with fixed partition and base strengthener



Housing for 2 hinged doors



Partition

H **1950 mm**
Clear height 1835 mm

1000		1000		1250		Partitions		
Art. no.		Art. no.		Art. no.		Depth	Art. no.	
57.630.XXX		-		60.354.XXX		400	58.451.000	
57.618.XXX		-		-		500	58.452.000	
57.631.XXX		-		60.376.XXX		580	58.453.000	
57.619.XXX		-		-				
62.145.XXX		-		60.469.XXX				
57.620.XXX*		58.433.XXX**		-				

* Installation of 1000 mm wide drawers and pull-out shelves possible.

** Installation of 500 mm wide drawers and pull-out shelves possible.

62.021.XXX		62.021.XXX		62.022.XXX	
62.011.XXX		62.011.XXX		-	
62.191.XXX		62.191.XXX		62.279.XXX	
62.012.XXX		62.012.XXX		-	
49.060.000		49.060.000		49.060.000	
62.021.XXX		62.021.XXX		62.022.XXX	
62.011.XXX		62.011.XXX		-	
62.191.XXX		62.191.XXX		62.279.XXX	
62.012.XXX		62.012.XXX		-	
49.067.000		49.067.000		49.067.000	

62.021.XXX		62.021.XXX		62.022.XXX	
62.011.XXX		62.011.XXX		-	
62.191.XXX		62.191.XXX		62.279.XXX	
62.012.XXX		62.012.XXX		-	
49.068.000		49.068.000		49.068.000	
20.040.000		20.040.000		20.040.000	

62.021.XXX		62.021.XXX		62.022.XXX	
62.011.XXX		62.011.XXX		-	
62.191.XXX		62.191.XXX		62.279.XXX	
62.012.XXX		62.012.XXX		-	
49.070.000		49.070.000		49.070.000	

+ Please state the existing cylinder number for repeat orders

● Required for operation

Partitions

The special sheet steel version with a perpendicular partitioning ratio of 25:25 mm is suitable for empty housings without a fixed divider. The pre-assembled dividers in light grey, RAL 7035, partition the hinged door cabinet housing. Adjustable shelves on request.

@ Lista online

The entire Lista range offers countless solutions to meet your specific requirements. The Online Compendium 2, the Lista Configurator and the Lista Script can be found here:

www.lista.com



Colours

Housings and doors available in 12 standard colours and 12 additional colours (with surcharge). When placing your order, please enter the desired three-digit colour code (instead of XXX). Customised colours on request.

For colour information see fold-out

For locking systems see page 24

Hinged door cabinets

Cabinet accessories

Adjustable shelves

Adjustable shelves, plain or slotted

Adjustable shelves, 4 shelf supports included. Specification: sheet steel, galvanised. Longitudinal sides edged by 4 x 90 degrees. Plain version: 25 mm thick, load capacity 60 kg. Slotted version: 30 mm thick, load capacity 60 or 100 kg.



W → 375 mm For 750 mm wide housing with partition. Version: **plain**

For cabinet depth mm	Usable depth mm	Usable width mm	kg	Specification	Art. no.
500	426	355	60	-	58.466.000
580	506	355	60	-	58.868.000



W → 500 mm For 500 mm or 1000 mm wide housing with partition. Version: **slotted**

400	326	480	60	-	58.100.000
500	426	480	60	-	58.101.000
580	506	480	60	-	58.102.000



W → 750 mm For 750 mm wide housing. Version: **slotted**

400	326	730	60	-	58.103.000
500	426	730	60	-	58.104.000
580	506	730	60	-	58.105.000



W → 1000 mm For 1000 mm wide housing. Version: **slotted**

400	326	980	60	-	58.106.000
400	326	980	100	-	60.487.000
500	426	980	60	-	58.107.000
500	426	980	100	-	60.407.000
500	426	980	60	With clothes rail	58.099.000
500	426	980	60	With front lip	58.493.000
500	426	980	100	With holder for suspension filing folders	60.483.000
580	506	980	60	-	58.108.000
580	506	980	100	-	60.409.000
580	506	980	60	With coat rod	62.194.000
580	506	980	60	With front lip	58.495.000
580	506	980	100	With holder for suspension filing folders	60.484.000



W → 1250 mm For 1250 mm wide housing. Version: **slotted**

400	326	1230	60	-	58.109.000
400	326	1230	100	-	60.488.000
500	426	1230	60	-	58.110.000
500	426	1230	100	-	60.408.000
500	426	1230	100	With holder for suspension filing folders	60.485.000
580	506	1230	60	-	58.111.000
580	506	1230	100	-	60.434.000
580	506	1230	100	With holder for suspension filing folders	60.486.000






Dividers, drawers, pull-out shelves, covers

Dividers for adjustable shelves

For partitioning adjustable shelves. Specification: sheet steel, painted. Colour: light grey, RAL 7035.

For cabinet depth mm	Length mm	Height mm	Specification	Art. no.	
400	311	150	-	58.144.000	
500	411	150	-	58.145.000	
580	490	150	-	58.146.000	



Drawers

Full extension with ball bearings, including guide rails. Specification: sheet steel. Colour: anthracite grey, RAL 7016.

D **580 mm** For 1000 mm wide housing with or without partition.

For installation mm	Usable width mm	Usable depth mm	Front height mm	Usable height mm		Art. no.	
500	357	459	95	72	50	62.141.000	
1000	867	459	95	72	50	58.113.000	

(Only compatible with cabinets with hinge bearing assembly and depth of 580 mm.)



Pull-out shelves

Full extension with ball bearing, including guide rails. Specification: sheet steel. Colour: anthracite grey, RAL 7016.

D **580 mm** For 1000 mm wide housing with or without partition.

For installation mm	Usable width mm	Usable depth mm	Front height mm	Usable height mm		Art. no.	
500	357	459	53	43	50	62.142.000	
1000	867	459	53	43	50	58.115.000	

(Only compatible with cabinets with hinge bearing assembly and depth of 580 mm.)



Raised edges, 3-sided

Attachable to the cabinet housing. Specification: sheet steel, folded on three sides. Colour: anthracite grey, RAL 7016.

Width mm	Depth mm	Height mm	Art. no.	
500	500	29	58.905.000	
500	580	29	58.906.000	
1000	500	29	58.162.000	
1000	580	29	58.163.000	



Ribbed mats

Used as non-slip cabinet cover. Specification: plastic, self-adhesive. Colour: black.

Width mm	Depth mm	Height mm	Art. no.	
500	500	-	58.907.000	
500	580	-	58.908.000	
1000	500	-	58.167.000	
1000	580	-	58.168.000	



For partition material and labelling system see page 706 ff

Hinged door cabinets

Cabinet accessories

Perforated walls, interior fittings, substructures



Perforated walls

For use of keyhole hooks (page 150). The walls are attached to the rear or side panel inside the cabinet. Fixing by means of shelf supports and sheet metal screws in the adjustment gibs of the cabinet. Fastening material included. Specification: sheet steel with square holes, 10 x 10 mm and 38 mm division. Colour: light grey, RAL 7035.

Note: Adjustable shelves can be placed under the perforated rear and side panels. When using perforated panels the adjustable shelves cannot be positioned at the same height!

W → 1000 mm For 1000 mm wide housing.

Specification	Usable width mm	Usable height mm	Art. no.
Perforated rear panel 1/2 high	984	899	60.321.000
Perforated rear panel 1/4 high	984	448	60.322.000

D ↗ 500 mm For 500 mm deep housing.

Specification	Usable depth mm	Usable height mm	Art. no.
Perforated side panel 1/2 high	382	899	60.327.000
Perforated side panel 1/4 high	382	448	60.326.000

D ↗ 580 mm For 580 mm deep housing.

Specification	Usable depth mm	Usable height mm	Art. no.
Perforated side panel 1/2 high	462	899	60.325.000
Perforated side panel 1/4 high	462	448	60.324.000

Pull-out suspension filing frame, complete, for crosswise storage

For crosswise storage of DIN A4 suspension filing folders held in fully extendible, single-row suspension frame. Load capacity: 50 kg per suspension pro pull-out suspension filing frame. Without suspension filing folders. Colour: light grey, RAL 7035.

For cabinet width mm	Usable width mm	For cabinet depth mm	Usable depth mm	Art. no.
1000	865	580	325	58.891.000

(Only for cabinet housings with doors with pintle bearing assembly.)

Pull-out suspension filing frame, complete, for cross- and lengthwise storage

For cross- and lengthwise storage of DIN A4 suspension filing folders, held in fully extendible, single-row suspension frame. Subdivided with 2 dividing rods. Load capacity: 50 kg per suspension pro pull-out suspension filing frame. Without suspension filing folders. Colour: light grey, RAL 7035.

For cabinet width mm	Usable width mm	For cabinet depth mm	Usable depth mm	Art. no.
1000	865	580	325	57.104.000

(Only for cabinet housings with doors with pintle bearing assembly.)

Division frame

Inserted into the suspension frame. Used for subdividing the individual suspension file folders and allows length- and crosswise subdivision in a frame. Specification: steel, plastic-coated. Colour: light grey, RAL 7035.

Designation	Art. no.
Division frame	58.421.000

Combination holder

Combination holder for storing cleaning equipment. Intended for retrofitting in hinged door cabinets. Fastening material included.

Designation	Art. no.
Combination holder	58.061.000





Base


Welded steel construction, with angle profiles, including adjustable plastic legs for levelling.
Colour: anthracite grey, RAL 7016.

Possible for further widths and depths on request.

For cabinet depth mm	Width mm	Depth mm	Height mm	Art. no.
500	1000	508	150	96.478.000
500	1250	508	150	97.322.000

Anti-tilting device (as replacement part)

Ensures the stability of cabinet housings for individual configuration with drawers, pull-out shelves and pull-out suspension filing frames (already included in pre-configured cabinets with these fittings).



Designation	Art. no.
Anti-tilting device	90.177.000

Desk mounts

With flap cover made of sheet steel. With standard cylinder lock and 2 keys, separately lockable.
Colour: anthracite grey, RAL 7016.

For cabinet width mm	For cabinet depth mm	Height mm	Art. no.
500	500	100/200	62.444.000
500	580	100/200	62.445.000

Swivel castor set

Consisting of 2 swivel castors and 2 swivel castors with brakes, wheel Ø: 75 mm, wheel width: 25 mm.
Swivel castor housing made of sheet steel, galvanised-chromatised, swivel bearings with double ball cage assembly. Wheel body made of polypropylene, tread made of thermoplastic rubber, grey non-marking, slide bearings.

For cabinet width mm	For cabinet depth mm	Height mm	kg	Art. no.
500	500	100	75	62.360.000

(Only for housing **58.675.XXX**, for conversion to mobile standing desk.)

i Tip



Practical clearance from floor

The base makes it easy to place the hinged door cabinet to allow the floor to be cleaned quickly and efficiently every day.

It is suitable for a cabinet depth of 500 mm and width of 1000 and 1250 mm.



@ Lista online


The entire Lista range offers countless solutions to meet your specific requirements. The Online Compendium 2, the Lista Configurator and the Lista Script can be found here:

www.lista.com




Hinged door cabinets

Partition material sets for drawers




357 x 459 mm / 867 x 459 mm

W → 500 mm




Slotted dividers and metal separators

For front height mm	Art. no.	
95	62.159.000	
1 slotted divider:	21 E on one side	
2 slotted dividers:	27 E	
3 metal separators:	7 E	



Slotted dividers and metal separators


For front height mm	Art. no.	
95	62.160.000	
1 slotted divider:	21 E on one side	
3 slotted dividers:	27 E	
3 metal separators:	5 E	
1 metal separator:	6 E	



Plastic boxes


For front height mm	Art. no.	
95	62.161.000	
3 plastic boxes:	150 x 150 x 71 mm	
6 plastic boxes:	150 x 75 x 71 mm	
1 spacer angle		

W → 1000 mm




Slotted dividers and metal separators

For front height mm	Art. no.	
95	58.477.000	
1 slotted divider:	51 E on one side	
5 slotted dividers:	27 E	
4 metal separators:	8 E	
1 metal separator:	9 E	
1 metal separator:	10 E	



Slotted dividers and metal separators

For front height mm	Art. no.	
95	58.478.000	
1 slotted divider:	51 E on one side	
7 slotted dividers:	27 E	
7 metal separators:	6 E	
1 metal separator:	9 E	



Plastic boxes

For front height mm	Art. no.	
95	58.491.000	
10 plastic boxes:	150 x 150 x 71 mm	
13 plastic boxes:	150 x 75 x 71 mm	
1 spacer angle		

i Tip

Lista Script labels

For plastic boxes, clip-on label holders, drawer handles, and cabinet labelling. A4 sheets for labelling or professional printing with the Lista Script labelling system. The software can be downloaded at

www.lista.com/script



Note

The front height corresponds to the drawer front height. For the actual height of the partition material see pages 730-735.

Partition material sets excluding clip-on label holders.

➤ For partition material and labelling system see page 706



Standing desk

Stationary or mobile with full sheet steel door



Especially at stationary production workstations, the standing desk can be used as a desk pad and for the storage of documents. The cabinet housing consists of an integrated control panel desk in welded steel construction. The cabinet doors are flush-fitting and folded from one piece. The doors are flush with the cabinet housing, with an opening angle of approx. 115°. The doors are available in full sheet steel version.

Desk with a flap cover made of sheet steel, anthracite grey RAL 7016. Storage compartment with additional, 200 mm deep storage shelf under the flap cover. Cabinet and desk locking system: Key Lock, simultaneous locking, with 2 keys each.

For mobile version:

Castor set consisting of 2 castors and 2 lockable castors, wheel Ø: 75 mm, wheel width: 25 mm. Castor housing made of sheet steel, galvanised-chromised, swivel bearing with double ball race. Wheel body made of polypropylene, running surface made of thermoplastic rubber, grey, non-marking, slide bearing.

For colour information see fold-out



W → 500 mm



2 adjustable shelves

H ↑ 1200 mm

Clear height 885 mm

Standing desk with 1 solid sheet door

Overall dimensions with cover (W x D): 500 x 500 mm.

D ↗ mm	kg		Hinge pins mounted	Art. no.
500	60	Key Lock	Pintle	62.602.XXX



2 adjustable shelves

H ↑ 1320 mm

Clear height 885 mm

Mobile standing desk with 1 full sheet steel door

Overall dimensions with cover (W x D): 500 x 500 mm.

D ↗ mm	kg		Hinge pins mounted	Art. no.
500	60	Key Lock	Pintle	62.601.XXX



Art. no.
62.602.010
Light blue
RAL 5012