Preconfigured container cabinets

with solid sheet or viewing window doors















Lista container cabinets are especially suited for storing storage containers on adjustable shelves. The cabinet specification is based on the hinged door cabinets in proven Lista quality.

F Features

- Solid sheet or viewing window doors, flush-fitting, folded from one piece
- Interior fittings height-adjustable in 25 mm increments
- Maximum load capacity: housing 500 kg, adjustable shelves 60 kg
- Adjustable shelves: galvanised, 25 mm thick with a depth of 300 mm and 22 mm thick with a depth of 400 mm
- Storage containers made of polyethylene
- Choice of Key Lock (separately lockable) or Code Lock; for further locking options see individual configuration
- Durable powder coating
- ESD on request

Design diversity

Housing height: 1000, 1950 mm; Housing width: 1000 mm; Housing depths: 300, 400 mm

Cabinet accessories: adjustable shelves, storage containers

W → 1000 mm





9 adjustable shelves H 25 mm

Art. no.

60 storage containers, red, Size 4 W 149 x D 233 x H 121 mm



D 7 mm



9 adjustable shelves H 22 mm

Art. no. 🎇

H 1950 mm

40 storage containers, yellow, Size 5Z W 209 x D 347 x H 145 mm

Cabinets with 2 solid sheet doors

kg

D 7 mm

300	60	Key Lock	Hinge	62.351.XXX
300	60	Code Lock	Hinge	62.353.XXX

Hinge pins mounted

Cabinets with 2 viewing window doors

300	60	Key Lock	Hinge	62.352.XXX
300	60	Code Lock	Hinge	62.354.XXX

Cabinets with 2 solid sheet doors

kg

400	60	Key Lock	Hinge	62.355.XXX
400	60	Code Lock	Hinge	62.357.XXX

Hinge pins mounted

Cabinets with 2 viewing window doors

400	60	Key Lock	Hinge	62.356.XXX
400	60	Code Lock	Hinge	62.358.XXX

488 www.lista.com © 2014





Cabinet housing, hinged doors and accessories





clasp lock





Housing for container cabinets

The housing is made of welded sheet steel and enables flexible installation of adjustable shelves with 25 mm divisions.

Hinged doors for container cabinets

The hinged doors are flush-fitting and folded from one piece and are flush with the cabinet housing. The hinged doors in solid sheet with hinge bearing assembly are prepared for Key Lock and Code Lock locking systems. The maximum opening angle is approx.115°.



) n e			
		Housing for 2 hinged doors	Housing for 2 hine

	n e	Housing for 2 hinged doors	Housing for 2 hinged doors
Housing for container cabinets mm		1000	1950
Clear height mm		885	1835
D 7 mm	Specification	Art. no.	Art. no. 🞇
300	-	57.684.XXX	57.686.XXX
400	-	57.612.XXX	57.618.XXX
Hinged door set for Key Lock			
2 doors excluding	Solid sheet	62.009.XXX	62.011.XXX
clasp lock Separately lockable	Viewing window	62.137.XXX	62.012.XXX
Clasp lock (random number)	•	49.060.000	49.060.000
2 doors excluding	Solid sheet	62.009.XXX	62.011.XXX

Simultaneously lockab	ie 🎉	viewing window	02.137.	02.012.77
+ Clasp lock 2C (number according to choice)	-	49.067.000	49.067.000
Off-the-shelf clasp locks	with pre-defined number, see page	491*		
2 doors excluding clasp lock		Solid sheet	62.009.XXX	62.011.XXX
Master key system	V V V V	Viewing window	62.137.XXX	62.012.XXX

Master key system	<u> </u>	Viewing window	62.137.XXX	62.012.XXX	
+ Clasp lock for master	key system	-	49.068.000	49.068.000	
 Master key (registered 	d system)	-	20.040.000	20.040.000	

Hinged door set for Code Lock				
2 dags avaluding dags lade	Solid sheet	62.009.XXX	62.011.XXX	
2 doors excluding clasp lock	Viewing window	62.137.XXX	62.012.XXX	
Clash lock with Code Lock	_	49 070 000	49 070 000	

⁺ Please state the existing cylinder number for repeat orders • Required for operation

Adjustable shelves

Adjustable shelves including 4 shelf supports. Specification: sheet steel, galvanised. Long sides folded by $4 \times 90^{\circ}$. 25 mm thick with a depth of 300 mm and 22 mm thick with a depth of 400 mm. Load-bearing capacity 60 kg.



For cabinet depth mm	Usable depth mm	Usable width mm	kg	Specification	Art. no.	
300	226	980	60	Plain	85.781.000	
400	326	980	60	Plain	85.749.000	

For colour information see fold-out



For open-ended containers see pages 452/453



Large scale pin-cabinet

with solid sheet doors

















The Lista large scale pin-cabinets feature an enormous holding capacity and enable optimum use of space. The drawers provide additional space for quality inventory and tools. **Features**

- Carefully welded sheet steel construction
- Clasp lock with Key Lock or Code Lock
- Hinged doors: door with slotted and/or perforated rear panels inside for attachment of storage containers and keyhole hooks, door opening angle: 180°
- Adjustable shelves: galvanised
- Smooth-running drawers with full extension: 100 mm front height, 75 kg load capacity, full extension runners, in light grey, RAL 7035, partition material available on request
- Storage containers made of polyethylene
- Surface: steel parts galvanised and powder-coated

Design diversity

■ Housing height: 1950 mm; Housing width: 1100 mm; Housing depth: 620 mm.





Large scale pin-cabinet with solid sheet doors Optimum use of the cabinet volume is possible with up to 146 storage containers and 3 drawers. The drawers can be individually equipped with partition material.

Note: partition material on request.

Art. no. 85.825.010

Light blue, RAL 5012

(excluding partition material)

W → 1100 mm



H 1950 mm



with slotted or perforated rear panels

9 adjustable shelves H 25 mm

40 storage containers Size 2, W 103 x D 93 x H 52 mm

70 storage containers Size 3, W 103 x D 168 x H 76 mm

21 storage containers Size 4, W 149 x D 233 x H 121 mm

15 storage containers Size 5Z, \overline{W} 209 x D 347 x H 145 mm

3 100 mm drawers (front height)

Cabinet with 2 solid sheet doors

	kg	6	Hinge pins mounted	Art. no.
620	60	Key Lock	Hinge	85.825.XXX

490 www.lista.com © 2014



Cabinet housing, hinged doors and accessories with Key Lock or Code Lock







Colours

Housings and doors available in 12 standard colours and 12 additional colours (with surcharge). When placing your order, please enter the desired three-digit colour code (instead of XXX). Customised colours on request.



For colour information see fold-out


Housing for large-scale pin-cabinet

The housing is made of high-quality welded sheet steel. Vertical supports with 25 mm divisions enable the installation of adjustable shelves. The cabinet housing is prepared for lateral screw connection and for floor anchoring. A 3-piece drawer set can be optionally inserted in the bottom area.

Hinged doors for large-scale pin-cabinet

The double leaf hinged door made of sheet steel comes with interior panels for attachment of storage containers and keyhole hooks and has a recess for Key Lock or Code Lock. The maximum opening angle is approx. 180°.

W**→** 1100 mm





		195	0	
		1820)	
Ar	t. no.	**		
85	5.763.	XXX		

85.824.XXX

49.060.000

85.824.XXX

49.067.000

85.824.XXX

49.068.000

20.040.000

85.824.XXX

49.070.000

Hinged door set for Key Lock

2 doors **excluding** clasp lock **Separately lockable**

Clasp lock (random number)

2 doors **excluding** clasp lock **Simultaneously lockable**

+ Clasp lock 2C____ (number according to choice)
For off-the-shelf clasp locks with pre-defined numbers, see below*

2 doors **excluding** clasp lock **Master key system**

+ Clasp lock for master key system

Master key (registered system)

Hinged door set for Code Lock
2 doors excluding clasp lock

Clasp lock with Code Lock

Please state the existing cylinder number for repeat orders Required for operation

Adjustable shelves

Adjustable shelves, 4 shelf supports included. Specification: sheet steel, galvanised. Folded edges. 25 mm thick with a load capacity of 60 kg. Only suitable for mounting directly above the cabinet base.

V 1100 mm For 1100 mm wide housing.

For cabinet depth mm	Usable depth mm	Usable width mm	kg	Specification	Art. no.	
620	300	1080	60	Plain	85.766.000	
620	588	1080	60	Plain	85.765.000	

Drawer set, 3 pieces

Full extension runner with ball bearing, including guide rails. Specification: sheet steel, galvanised. Colour: light grey, RAL 7035.

	•		•				•
W → 1100 mm							
For cabinet depth mm	Usable width mm	Usable depth mm	Front height mm	Usable height mm	kg	Art. no.	
620	900	389	100	71	75	85.804.000	

Container strip

For accommodating open-ended containers, sizes 2 and 3. Specification: sheet steel, galvanised.

W → 435 mm				
Usable width mm	Depth mm	Height mm	Art. no.	
410	57	15	85.770.000	

* Clasp locks 2C with pre-defined number

ln stock	Art. no.
Cam Cylinder 2C 1	49.061.000
Cam Cylinder 2C 2	49.062.000
Cam Cylinder 2C 3	49.063.000
Cam Cylinder 2C 4	49.064.000
Cam Cylinder 2C 5	49.065.000
Cam Cylinder 2C 6	49.066.000



For keyhole hooks see page 450



For locking systems see page 24